







[illegible]






Time	Temperature	Wavelength	Intensity
10:00	25.0	254	0.1
10:05	25.0	254	0.1
10:10	25.0	254	0.1
10:15	25.0	254	0.1
10:20	25.0	254	0.1
10:25	25.0	254	0.1
10:30	25.0	254	0.1
10:35	25.0	254	0.1
10:40	25.0	254	0.1
10:45	25.0	254	0.1
10:50	25.0	254	0.1
10:55	25.0	254	0.1
11:00	25.0	254	0.1
11:05	25.0	254	0.1
11:10	25.0	254	0.1
11:15	25.0	254	0.1
11:20	25.0	254	0.1
11:25	25.0	254	0.1
11:30	25.0	254	0.1
11:35	25.0	254	0.1
11:40	25.0	254	0.1
11:45	25.0	254	0.1
11:50	25.0	254	0.1
11:55	25.0	254	0.1
12:00	25.0	254	0.1
12:05	25.0	254	0.1
12:10	25.0	254	0.1
12:15	25.0	254	0.1
12:20	25.0	254	0.1
12:25	25.0	254	0.1
12:30	25.0	254	0.1
12:35	25.0	254	0.1
12:40	25.0	254	0.1
12:45	25.0	254	0.1
12:50	25.0	254	0.1
12:55	25.0	254	0.1
13:00	25.0	254	0.1
13:05	25.0	254	0.1
13:10	25.0	254	0.1
13:15	25.0	254	0.1
13:20	25.0	254	0.1
13:25	25.0	254	0.1
13:30	25.0	254	0.1
13:35	25.0	254	0.1
13:40	25.0	254	0.1
13:45	25.0	254	0.1
13:50	25.0	254	0.1
13:55	25.0	254	0.1
14:00	25.0	254	0.1
14:05	25.0	254	0.1
14:10	25.0	254	0.1
14:15	25.0	254	0.1
14:20	25.0	254	0.1
14:25	25.0	254	0.1
14:30	25.0	254	0.1
14:35	25.0	254	0.1
14:40	25.0	254	0.1
14:45	25.0	254	0.1
14:50	25.0	254	0.1
14:55	25.0	254	0.1
15:00	25.0	254	0.1
15:05	25.0	254	0.1
15:10	25.0	254	0.1
15:15	25.0	254	0.1
15:20	25.0	254	0.1
15:25	25.0	254	0.1
15:30	25.0	254	0.1
15:35	25.0	254	0.1
15:40	25.0	254	0.1
15:45	25.0	254	0.1
15:50	25.0	254	0.1
15:55	25.0	254	0.1
16:00	25.0	254	0.1
16:05	25.0	254	0.1
16:10	25.0	254	0.1
16:15	25.0	254	0.1
16:20	25.0	254	0.1
16:25	25.0	254	0.1
16:30	25.0	254	0.1
16:35	25.0	254	0.1
16:40	25.0	254	0.1
16:45	25.0	254	0.1
16:50	25.0	254	0.1
16:55	25.0	254	0.1
17:00	25.0	254	0.1
17:05	25.0	254	0.1
17:10	25.0	254	0.1
17:15	25.0	254	0.1
1			

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13</																																																																																							




Project No. 1234		Date: 12/12/1912	
Drawing No. 1234		Scale: 1/2" = 1'	
Author: J. H. Smith		Checked: C. E. Jones	
Title: Hull Section		Sheet: 1 of 1	

Apr 27		Apr 28
Apr 29	Apr 30	C-80




Item	Description	Quantity	Unit	Material
1	Steel Plate	100	Sq. Ft.	ASTM A36
2	Steel Plate	50	Sq. Ft.	ASTM A36
3	Steel Plate	25	Sq. Ft.	ASTM A36
4	Steel Plate	10	Sq. Ft.	ASTM A36
5	Steel Plate	5	Sq. Ft.	ASTM A36
6	Steel Plate	2	Sq. Ft.	ASTM A36
7	Steel Plate	1	Sq. Ft.	ASTM A36
8	Steel Plate	0.5	Sq. Ft.	ASTM A36
9	Steel Plate	0.25	Sq. Ft.	ASTM A36
10	Steel Plate	0.125	Sq. Ft.	ASTM A36


Item	Description	Quantity	Unit	Material
1	Steel Plate	100	Sq. Ft.	ASTM A36
2	Steel Plate	50	Sq. Ft.	ASTM A36
3	Steel Plate	25	Sq. Ft.	ASTM A36
4	Steel Plate	10	Sq. Ft.	ASTM A36
5	Steel Plate	5	Sq. Ft.	ASTM A36
6	Steel Plate	2	Sq. Ft.	ASTM A36
7	Steel Plate	1	Sq. Ft.	ASTM A36
8	Steel Plate	0.5	Sq. Ft.	ASTM A36
9	Steel Plate	0.25	Sq. Ft.	ASTM A36
10	Steel Plate	0.125	Sq. Ft.	ASTM A36




NO.	DESCRIPTION	QTY.	REMARKS
1	PLATE	1	
2	PLATE	1	
3	PLATE	1	
4	PLATE	1	
5	PLATE	1	
6	PLATE	1	
7	PLATE	1	
8	PLATE	1	
9	PLATE	1	
10	PLATE	1	
11	PLATE	1	
12	PLATE	1	
13	PLATE	1	
14	PLATE	1	
15	PLATE	1	
16	PLATE	1	
17	PLATE	1	
18	PLATE	1	
19	PLATE	1	
20	PLATE	1	
21	PLATE	1	
22	PLATE	1	
23	PLATE	1	
24	PLATE	1	
25	PLATE	1	
26	PLATE	1	
27	PLATE	1	
28	PLATE	1	
29	PLATE	1	
30	PLATE	1	
31	PLATE	1	
32	PLATE	1	
33	PLATE	1	
34	PLATE	1	
35	PLATE	1	
36	PLATE	1	
37	PLATE	1	
38	PLATE	1	
39	PLATE	1	
40	PLATE	1	
41	PLATE	1	
42	PLATE	1	
43	PLATE	1	
44	PLATE	1	
45	PLATE	1	
46	PLATE	1	
47	PLATE	1	
48	PLATE	1	
49	PLATE	1	
50	PLATE	1	
51	PLATE	1	
52	PLATE	1	
53	PLATE	1	
54	PLATE	1	
55	PLATE	1	
56	PLATE	1	
57	PLATE	1	
58	PLATE	1	
59	PLATE	1	
60	PLATE	1	
61	PLATE	1	
62	PLATE	1	
63	PLATE	1	
64	PLATE	1	
65	PLATE	1	
66	PLATE	1	
67	PLATE	1	
68	PLATE	1	
69	PLATE	1	
70	PLATE	1	
71	PLATE	1	
72	PLATE	1	
73	PLATE	1	
74	PLATE	1	
75	PLATE	1	
76	PLATE	1	
77	PLATE	1	
78	PLATE	1	
79	PLATE	1	
80	PLATE	1	
81	PLATE	1	
82	PLATE	1	
83	PLATE	1	
84	PLATE	1	
85	PLATE	1	
86	PLATE	1	
87	PLATE	1	
88	PLATE	1	
89	PLATE	1	
90	PLATE	1	
91	PLATE	1	
92	PLATE	1	
93	PLATE	1	
94	PLATE	1	
95	PLATE	1	
96	PLATE	1	
97	PLATE	1	
98	PLATE	1	
99	PLATE	1	
100	PLATE	1	



Detalii de montaj si dispozitii		Avion I.A.R. nr. 0.0		1635
90		1635		1635

[illegible]

Architect: [illegible]



Room No.	Room Name	Area (sq. ft.)	Volume (cu. ft.)	Notes
101	Room 101	100	1000	
102	Room 102	120	1200	
103	Room 103	140	1400	
104	Room 104	160	1600	
105	Room 105	180	1800	
106	Room 106	200	2000	
107	Room 107	220	2200	
108	Room 108	240	2400	
109	Room 109	260	2600	
110	Room 110	280	2800	
111	Room 111	300	3000	
112	Room 112	320	3200	
113	Room 113	340	3400	
114	Room 114	360	3600	
115	Room 115	380	3800	
116	Room 116	400	4000	
117	Room 117	420	4200	
118	Room 118	440	4400	
119	Room 119	460	4600	
120	Room 120	480	4800	
121	Room 121	500	5000	
122	Room 122	520	5200	
123	Room 123	540	5400	
124	Room 124	560	5600	
125	Room 125	580	5800	
126	Room 126	600	6000	
127	Room 127	620	6200	
128	Room 128	640	6400	
129	Room 129	660	6600	
130	Room 130	680	6800	
131	Room 131	700	7000	
132	Room 132	720	7200	
133	Room 133	740	7400	
134	Room 134	760	7600	
135	Room 135	780	7800	
136	Room 136	800	8000	
137	Room 137	820	8200	
138	Room 138	840	8400	
139	Room 139	860	8600	
140	Room 140	880	8800	
141	Room 141	900	9000	
142	Room 142	920	9200	
143	Room 143	940	9400	
144	Room 144	960	9600	
145	Room 145	980	9800	
146	Room 146	1000	10000	
147	Room 147	1020	10200	
148	Room 148	1040	10400	
149	Room 149	1060	10600	
150	Room 150	1080	10800	
151	Room 151	1100	11000	
152	Room 152	1120	11200	
153	Room 153	1140	11400	
154	Room 154	1160	11600	
155	Room 155	1180	11800	
156	Room 156	1200	12000	
157	Room 157	1220	12200	
158	Room 158	1240	12400	
159	Room 159	1260	12600	
160	Room 160	1280	12800	
161	Room 161	1300	13000	
162	Room 162	1320	13200	
163	Room 163	1340	13400	
164	Room 164	1360	13600	
165	Room 165	1380	13800	
166	Room 166	1400	14000	
167	Room 167	1420	14200	
168	Room 168	1440	14400	
169	Room 169	1460	14600	
170	Room 170	1480	14800	
171	Room 171	1500	15000	
172	Room 172	1520	15200	
173	Room 173	1540	15400	
174	Room 174	1560	15600	
175	Room 175	1580	15800	
176	Room 176	1600	16000	
177	Room 177	1620	16200	
178	Room 178	1640	16400	
179	Room 179	1660	16600	
180	Room 180	1680	16800	
181	Room 181	1700	17000	
182	Room 182	1720	17200	
183	Room 183	1740	17400	
184	Room 184	1760	17600	
185	Room 185	1780	17800	
186	Room 186	1800	18000	
187	Room 187	1820	18200	
188	Room 188	1840	18400	
189	Room 189	1860	18600	
190	Room 190	1880	18800	
191	Room 191	1900	19000	
192	Room 192	1920	19200	
193	Room 193	1940	19400	
194	Room 194	1960	19600	
195	Room 195	1980	19800	
196	Room 196	2000	20000	
197	Room 197	2020	20200	
198	Room 198	2040	20400	
199	Room 199	2060	20600	
200	Room 200	2080	20800	